ELSEVIER

Neuroscience Letters 298 (2001) 226–229

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 298

Abdullaev, Y.G., see Nikolaev, A.R., 107
Acevedo, A., see Martínez-Morales, J.R., 61
Adler, G., Jajcevic, A., Post-dexamethasone cortisol level and memory performance in elderly depressed patients, 142
Ahn, H., see Park, C., 49
Aisen, P.S., see Ho, L., 191
Aiso, S., see Nakahara, J., 163
Akhisaroglu, M., see Genc, S., 139
Akins, P.R., Wu, G., Gauda, E.B., Ciliary neurotrophic factor induces preprotachykinin A gene expression in the rat carotid body, 95
Alku, P., Sivonen, P., Palomäki, K., Tiitinen, H., The periodic structure of vowel sounds is reflected in human electromagnetic brain responses, 25
Alonso, R., see Martínez-Morales, J.R., 61
Anwyl, R., see Rush, A.M., 175
Aoyama, K., Matsubara, K., Kondo, M., Murakawa, Y., Suno, M., Yamashita, K., Yamaguchi, S., Kobayashi, S., Nicotinamide-*N*-methyltransferase is higher in the lumbar cerebrospinal fluid of patients with Parkinson's disease, 78
Arias, W., see Pineda-Trujillo, N., 87
Armstrong, R.A., Lantos, P.L., Cairns, N.J., The spatial patterns of prion protein deposits in Creutzfeldt–Jakob disease: comparison with β-amyloid deposits in Alzheimer's disease, 53
Asada, S., see Kurokawa, T., 135
Asou, H., see Nakahara, J., 163
Astikainen, P., Ruusuvirta, T., Korhonen, T., Somatosensory event-related potentials in the rabbit cerebral and cerebellar cortices: a correspondence with mismatch responses in humans, 222
Azami, J., see Monhemius, R., 70

Baeg, E.H., see Kim, Y.B., 217
Ball, S.L., Lindberg, F.P., Lagenaur, C.F., Peachey, N.S., Electroretinograms remain normal in mice lacking a synapse associated protein, 111
Bantel, C., see Sörös, P., 195
Barbato, G., see Fagioli, I., 83
Barilà, B., Cupello, A., Robello, M., Modulation by lanthanum ions of γ-aminobutyric acid$_A$ receptors of rat cerebellum granule cells in culture: clues on their subunit composition, 13
Bedoya, G., see Pineda-Trujillo, N., 87
Blaheta, R.A., see Hailer, N.P., 33
Block, F., Bozdag, I., Nolden-Koch, M., Inflammation contributes to the postponed ischemic neuronal damage following treatment with a glutamate antagonist in rats, 103
Boyd, L.A., Winstein, C.J., Implicit motor-sequence learning in humans following unilateral stroke: the impact of practice and explicit knowledge, 65
Bozdag, I., see Block, F., 103
Bronstein, A.M., see Jáuregui-Renaud, K., 17
Buriticá, O., see Pineda-Trujillo, N., 87
Bürkle, H., see Sörös, P., 195

Cairns, N.J., see Armstrong, R.A., 53
Carpenter, K.J., Nandi, M., Dickenson, A.H., Peripheral administration of low pH solutions causes activation and sensitisation of convergent dorsal horn neurones in the anaesthetised rat, 179
Carvajal-Carmona, L.G., see Pineda-Trujillo, N., 87
Cha, C.I., see Park, K.H., 29
Chen, H.-S., Chen, J., Chen, J., Guo, W.-G., Zheng, M.-H., Establishment of bee venom-induced contralateral heat hyperalgesia in the rat is dependent upon central temporal summation of afferent input from the site of injury, 57
Chen, J., see Chen, H.-S., 57
Chen, J., see Chen, H.-S., 57
Chen, P., Li, J.-L., Li, J.-S., Mizuno, N., Glutamic acid decarboxylase-like immunoreactive axon terminals in synaptic contact with mesencephalic trigeminal nucleus neurons in the rat, 167
Chen, Z.-W., Yang, K., Wang, Y., Han, J.-S., The metabolic evidence of synergistic effect between ohmefentanyl and [D-Pen^2, D-Pen^5] enkephalin on differentiated SH-SY5Y cells in humans, 199
Cho, S.S., see Park, K.H., 29
Cho, Y.W., see Uom, E.S., 21
Chung, S., see Soh, H., 115
Chung, Y.H., see Park, K.H., 29
Chung, Y.-K., see Kim, Y.B., 217
Chung, Y.-M., see Kim, Y.B., 217
Crespi, F., Vecchiato, E., Lazzarini, C., Gaviraghi, G., Electrochemical evidence that lacidipine stimulates release of nitrogen monoxide in rat aorta, 171
Cruz-Landeira, A., see Soto-Otero, R., 187
Cui, L., see Wang, H., 155
Cupello, A., see Barilà, B., 13
Czernik, A., see Ho, L., 191

Dickenson, A.H., see Carpenter, K.J., 179
Dooyema, J., see Wessendorf, M.W., 151
Dutia, M.B., see Podda, M.V., 91

Facoetti, A., Facilitation and inhibition mechanisms of human visuospatial attention in a non-search task, 45
Fadiloğlu, M., see Genc, S., 139
Fadiloglu, S., see Genc, S., 139
Fagioli, I., Barbato, G., Wehr, T.A., Dynamics of electroencephalographic slow wave activity and body temperature during monophasic and biphasic human sleep, 83

García, F., see Pineda-Trujillo, N., 87
Gauda, E.B., see Akins, P.R., 95
Gaviraghi, G., see Crespi, F., 171
Genc, K., see Genc, S., 139
Genc, S., Kuralay, F., Genc, K., Akhisaroglu, M., Fadiloglu, S., Yorukoglu,

PII: S0304-3940(01)01522-1

ELSEVIER

Neuroscience Letters 298 (2001) 226–229

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 298

Abdullaev, Y.G., see Nikolaev, A.R., 107
Acevedo, A., see Martínez-Morales, J.R., 61
Adler, G., Jajcevic, A., Post-dexamethasone cortisol level and memory performance in elderly depressed patients, 142
Ahn, H., see Park, C., 49
Aisen, P.S., see Ho, L., 191
Aiso, S., see Nakahara, J., 163
Akhisaroglu, M., see Genc, S., 139
Akins, P.R., Wu, G., Gauda, E.B., Ciliary neurotrophic factor induces preprotachykinin A gene expression in the rat carotid body, 95
Alku, P., Sivonen, P., Palomäki, K., Tiitinen, H., The periodic structure of vowel sounds is reflected in human electromagnetic brain responses, 25
Alonso, R., see Martínez-Morales, J.R., 61
Anwyl, R., see Rush, A.M., 175
Aoyama, K., Matsubara, K., Kondo, M., Murakawa, Y., Suno, M., Yamashita, K., Yamaguchi, S., Kobayashi, S., Nicotinamide-*N*-methyltransferase is higher in the lumbar cerebrospinal fluid of patients with Parkinson's disease, 78
Arias, W., see Pineda-Trujillo, N., 87
Armstrong, R.A., Lantos, P.L., Cairns, N.J., The spatial patterns of prion protein deposits in Creutzfeldt–Jakob disease: comparison with β-amyloid deposits in Alzheimer's disease, 53
Asada, S., see Kurokawa, T., 135
Asou, H., see Nakahara, J., 163
Astikainen, P., Ruusuvirta, T., Korhonen, T., Somatosensory event-related potentials in the rabbit cerebral and cerebellar cortices: a correspondence with mismatch responses in humans, 222
Azami, J., see Monhemius, R., 70

Baeg, E.H., see Kim, Y.B., 217
Ball, S.L., Lindberg, F.P., Lagenaur, C.F., Peachey, N.S., Electroretinograms remain normal in mice lacking a synapse associated protein, 111
Bantel, C., see Sörös, P., 195
Barbato, G., see Fagioli, I., 83
Barilà, B., Cupello, A., Robello, M., Modulation by lanthanum ions of γ-aminobutyric acid$_A$ receptors of rat cerebellum granule cells in culture: clues on their subunit composition, 13
Bedoya, G., see Pineda-Trujillo, N., 87
Blaheta, R.A., see Hailer, N.P., 33
Block, F., Bozdag, I., Nolden-Koch, M., Inflammation contributes to the postponed ischemic neuronal damage following treatment with a glutamate antagonist in rats, 103
Boyd, L.A., Winstein, C.J., Implicit motor-sequence learning in humans following unilateral stroke: the impact of practice and explicit knowledge, 65
Bozdag, I., see Block, F., 103
Bronstein, A.M., see Jáuregui-Renaud, K., 17
Buriticá, O., see Pineda-Trujillo, N., 87
Bürkle, H., see Sörös, P., 195

Cairns, N.J., see Armstrong, R.A., 53
Carpenter, K.J., Nandi, M., Dickenson, A.H., Peripheral administration of low pH solutions causes activation and sensitisation of convergent dorsal horn neurones in the anaesthetised rat, 179
Carvajal-Carmona, L.G., see Pineda-Trujillo, N., 87
Cha, C.I., see Park, K.H., 29
Chen, H.-S., Chen, J., Chen, J., Guo, W.-G., Zheng, M.-H., Establishment of bee venom-induced contralateral heat hyperalgesia in the rat is dependent upon central temporal summation of afferent input from the site of injury, 57
Chen, J., see Chen, H.-S., 57
Chen, J., see Chen, H.-S., 57
Chen, P., Li, J.-L., Li, J.-S., Mizuno, N., Glutamic acid decarboxylase-like immunoreactive axon terminals in synaptic contact with mesencephalic trigeminal nucleus neurons in the rat, 167
Chen, Z.-W., Yang, K., Wang, Y., Han, J.-S., The metabolic evidence of synergistic effect between ohmefentanyl and [D-Pen^2, D-Pen^5] enkephalin on differentiated SH-SY5Y cells in humans, 199
Cho, S.S., see Park, K.H., 29
Cho, Y.W., see Uom, E.S., 21
Chung, S., see Soh, H., 115
Chung, Y.H., see Park, K.H., 29
Chung, Y.-K., see Kim, Y.B., 217
Chung, Y.-M., see Kim, Y.B., 217
Crespi, F., Vecchiato, E., Lazzarini, C., Gaviraghi, G., Electrochemical evidence that lacidipine stimulates release of nitrogen monoxide in rat aorta, 171
Cruz-Landeira, A., see Soto-Otero, R., 187
Cui, L., see Wang, H., 155
Cupello, A., see Barilà, B., 13
Czernik, A., see Ho, L., 191

Dickenson, A.H., see Carpenter, K.J., 179
Dooyema, J., see Wessendorf, M.W., 151
Dutia, M.B., see Podda, M.V., 91

Facoetti, A., Facilitation and inhibition mechanisms of human visuospatial attention in a non-search task, 45
Fadiloğlu, M., see Genc, S., 139
Fadiloglu, S., see Genc, S., 139
Fagioli, I., Barbato, G., Wehr, T.A., Dynamics of electroencephalographic slow wave activity and body temperature during monophasic and biphasic human sleep, 83

García, F., see Pineda-Trujillo, N., 87
Gauda, E.B., see Akins, P.R., 95
Gaviraghi, G., see Crespi, F., 171
Genc, K., see Genc, S., 139
Genc, S., Kuralay, F., Genc, K., Akhisaroglu, M., Fadiloglu, S., Yorukoglu,

PII: S0304-3940(01)01522-1

K., Fadiloğlu, M., Gure, A., Erythropoietin exerts neuroprotection in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-treated C57/BL mice via increasing nitric oxide production, 139
Giffard, R.G., see Yenari, M.A., 5
Glomsda, B., see Hailer, N.P., 33
Green, D.L., see Monhemius, R., 70
Gresty, M.A., see Jáuregui-Renaud, K., 17
Griač, P., see Herichová, I., 123
Grierson, A.J., Johnson, G.V.W., Miller, C.C.J., Three different human tau isoforms and rat neurofilament light, middle and heavy chain proteins are cellular substrates for transglutaminase, 9
Guerra, B., see Martínez-Morales, J.R., 61
Guilarte, T.R., see Nihei, M.K., 212
Guo, W.-G., see Chen, H.-S., 57
Guo, Y., see Ho, L., 191
Gure, A., see Genc, S., 139

Hailer, N.P., Glomsda, B., Blaheta, R.A., Astrocytic factors down-regulate the expression of major histocompatibility complex-class-II and intercellular adhesion molecule-1 on human monocytes, 33
Han, J.-S., see Chen, Z.-W., 199
Haroutunian, V., see Ho, L., 191
Hazeki, O., see Kurokawa, T., 135
Henningsen, H., see Sörös, P., 195
Herichová, I., Zeman, M., Macková, M., Griač, P., Rhythms of the pineal *N*-acetyltransferase mRNA and melatonin concentrations during embryonic and post-embryonic development in chicken, 123
Hernández, G., see Martínez-Morales, J.R., 61
Hernández-Jiménez, J.G., see Martínez-Morales, J.R., 61
Hess, G., see Jagodzinski, P., 37
Hirose, G., see Sakai, K., 127
Ho, L., Guo, Y., Spielman, L., Petrescu, O., Haroutunian, V., Purohit, D., Czernik, A., Yemul, S., Aisen, P.S., Mohs, R., Pasinetti, G.M., Altered expression of a-type but not b-type synapsin isoform in the brain of patients at high risk for Alzheimer's disease assessed by DNA microarray technique, 191
Holstege, G., see VanderHorst, V.G.J.M., 147
Homma, I., see Iwase, M., 119
Hori, H., Ohmori, O., Shinkai, T., Kojima, H., Nakamura, J., Clara cell secretory protein (CC16) gene polymorphism and schizophrenia in humans, 75
Hu, B.-R., see Ouyang, Y.-B., 159
Huh, Y., see Park, C., 49

Imai, T., see Sörös, P., 195
Ivanitsky, A.M., see Nikolaev, A.R., 107
Ivanitsky, G.A., see Nikolaev, A.R., 107
Iwase, M., Izumizaki, M., Kanamaru, M., Homma, I., Involvement of central histaminergic neurons in polypnea induced by hyperthermia in rabbits, 119
Iyengar, S., see Lee, D.H., 99
Izumizaki, M., see Iwase, M., 119

Jagodzinski, P., Hess, G., Tetraethylammonium-induced long-term potentiation in layer V horizontal connections of rat motor cortex, 37
Jajcevic, A., see Adler, G., 142
Jang, J., see Kim, Y.B., 217
Jáuregui-Renaud, K., Gresty, M.A., Reynolds, R., Bronstein, A.M., Respiratory responses of normal and vestibular defective human subjects to rotation in the yaw and pitch planes, 17
Johnson, G.V.W., see Grierson, A.J., 9
Johnston, A.R., see Podda, M.V., 91
Jung, M.W., see Kim, Y.B., 217
Jung, W., see Soh, H., 115

Kanamaru, M., see Iwase, M., 119
Kane, J.K., Parker, S.L., Li, M.D., Hypothalamic orexin-A binding sites are downregulated by chronic nicotine treatment in the rat, 1
Kang, K., see Park, C., 49
Kang, M., see Park, C., 49
Katner, J., see Lee, D.H., 99
Kawamura, K., see Nakahara, J., 163
Kim, H.T., see Kim, Y.B., 217
Kim, J., see Park, C., 49
Kim, J.H., see Uom, E.S., 21
Kim, M.J., see Park, K.H., 29
Kim, S.U., see Kim, Y.B., 217
Kim, Y.B., Jang, J., Chung, Y.-M., Baeg, E.H., Kim, H.T., Mook-Jung, I., Kim, S.U., Jung, M.W., Chung, Y.-K., Haloperidol and clozapine increase neural activity in the rat prefrontal cortex, 217
Kitagawa, Y., see Sakai, K., 127
Knecht, S., see Sörös, P., 195
Kobayashi, S., see Aoyama, K., 78
Kojima, H., see Hori, H., 75
Kondo, M., see Aoyama, K., 78
Kong, J., see Wang, H., 155
Korhonen, T., see Astikainen, P., 222
Kuralay, F., see Genc, S., 139
Kurokawa, T., Asada, S., Nishitani, S., Hazeki, O., Age-related changes in manganese superoxide dismutase activity in the cerebral cortex of senescence-accelerated prone and resistant mouse, 135

Lagenaur, C.F., see Ball, S.L., 111
Lantos, P.L., see Armstrong, R.A., 53
Lazzarini, C., see Crespi, F., 171
Lee, B.K., see Park, K.H., 29
Lee, D.H., Katner, J., Iyengar, S., Lodge, D., The effect of lumbar sympathectomy on increased tactile sensitivity in spinal nerve ligated rats, 99
Lee, J., see Park, C., 49
Lee, M.S., Lyoo, C.H., Ulmanen, I., Syvänen, A.-C., O Rinne, J., Genotypes of catechol-*O*-methyltransferase and response to levodopa treatment in patients with Parkinson's disease, 131
Li, J.-L., see Chen, P., 167
Li, J.-S., see Chen, P., 167
Li, M.D., see Kane, J.K., 1
Li, Y., see Sakai, K., 127
Lin, S.-H., Maiese, K., Group I metabotropic glutamate receptors prevent endothelial programmed cell death independent from MAP kinase p38 activation in rat, 207
Lindberg, F.P., see Ball, S.L., 111
Lodge, D., see Lee, D.H., 99
Lopera, F., see Pineda-Trujillo, N., 87
López-Coviella, I., see Martínez-Morales, J.R., 61
López-Rivadulla Lamas, M., see Soto-Otero, R., 187
Lütkenhöner, B., see Sörös, P., 195
Lyoo, C.H., see Lee, M.S., 131

Macková, M., see Herichová, I., 123
Maiese, K., see Lin, S.-H., 207
Marín, R., see Martínez-Morales, J.R., 61
Martínez-Morales, J.R., Morales, A., Marín, R., Hernández-Jiménez, J.G.,

Acevedo, A., Guerra, B., Hernández, G., López-Coviella, I., Prieto, L., Alonso, R., Estrogen modulates norepinephrine-induced accumulation of adenosine cyclic monophosphate in a subpopulation of immortalized luteinizing hormone-releasing hormone secreting neurons from the mouse hypothalamus, 61
Matsubara, K., see Aoyama, K., 78
McGlothan, J.L., see Nihei, M.K., 212
Meijer, E., see VanderHorst, V.G.J.M., 147
Méndez-Álvarez, E., see Soto-Otero, R., 187
Miller, C.C.J., see Grierson, A.J., 9
Miltner, W.H.R., see Opsommer, E., 41
Min, B.I., see Uom, E.S., 21
Mizuno, N., see Chen, P., 167
Mohs, R., see Ho, L., 191
Monhemius, R., Green, D.L., Roberts, M.H.T., Azami, J., Periaqueductal grey mediated inhibition of responses to noxious stimulation is dynamically activated in a rat model of neuropathic pain, 70
Mook-Jung, I., see Kim, Y.B., 217
Morales, A., see Martínez-Morales, J.R., 61
Moreno, S., see Pineda-Trujillo, N., 87
Murakawa, Y., see Aoyama, K., 78

Nakahara, J., Tan-Takeuchi, K., Seiwa, C., Yagi, T., Aiso, S., Kawamura, K., Asou, H., Myelin basic protein is necessary for the regulation of myelin-associated glycoprotein expression in mouse oligodendroglia, 163
Nakamura, J., see Hori, H., 75
Nandi, M., see Carpenter, K.J., 179
Nihei, M.K., McGlothan, J.L., Toscano, C.D., Guilarte, T.R., Low level Pb^{2+} exposure affects hippocampal protein kinase Cγ gene and protein expression in rats, 212
Nikolaev, A.R., Ivanitsky, G.A., Ivanitsky, A.M., Posner, M.I., Abdullaev, Y.G., Correlation of brain rhythms between frontal and left temporal (Wernicke's) cortical areas during verbal thinking, 107
Nishitani, S., see Kurokawa, T., 135
Nolden-Koch, M., see Block, F., 103

O Rinne, J., see Lee, M.S., 131
Ohmori, O., see Hori, H., 75
Opsommer, E., Weiss, T., Plaghki, L., Miltner, W.H.R., Dipole analysis of ultralate (C-fibres) evoked potentials after laser stimulation of tiny cutaneous surface areas in humans, 41
Ouyang, Y.-B., Hu, B.-R., Protein ubiquitination in rat brain following hypoglycemic coma, 159

Palomäki, K., see Alku, P., 25
Pantev, C., see Sörös, P., 195
Park, C., Kang, M., Kang, K., Lee, J., Kim, J., Yoo, J., Ahn, H., Huh, Y., Differential changes in neuropeptide Y and nicotinamide adenine dinucleotide phosphate-diaphorase-positive neurons in rat hippocampus after kainic acid-induced seizure, 49
Park, K.H., Chung, Y.H., Shin, C.-M., Kim, M.J., Lee, B.K., Cho, S.S., Cha, C.I., Immunohistochemical study on the distribution of the voltage-gated potassium channels in the gerbil hippocampus, 29
Parker, S.L., see Kane, J.K., 1
Pasinetti, G.M., see Ho, L., 191
Peachey, N.S., see Ball, S.L., 111
Petrescu, O., see Ho, L., 191
Pineda, D., see Pineda-Trujillo, N., 87
Pineda-Trujillo, N., Carvajal-Carmona, L.G., Buriticá, O., Moreno, S., Uribe, C., Pineda, D., Toro, M., García, F., Arias, W., Bedoya, G., Lopera, F., Ruiz-Linares, A., A novel Cys212Tyr founder mutation in *parkin* and allelic heterogeneity of juvenile Parkinsonism in a population from North West Colombia, 87
Plaghki, L., see Opsommer, E., 41
Podda, M.V., Johnston, A.R., Tolu, E., Dutia, M.B., Modulation of rat medial vestibular nucleus neurone activity by vasopressin and noradrenaline in vitro, 91
Posner, M.I., see Nikolaev, A.R., 107
Prieto, L., see Martínez-Morales, J.R., 61
Purohit, D., see Ho, L., 191

Rao, Y., Xiao, P., Xu, S.-T., Effects of intrahippocampal aniracetam treatment on Y-maze avoidance learning performance and behavioral long-term potentiation in dentate gyrus in rat, 183
Reynolds, R., see Jáuregui-Renaud, K., 17
Robello, M., see Barilà, B., 13
Roberts, M.H.T., see Monhemius, R., 70
Rowan, M.J., see Rush, A.M., 175
Ruiz-Linares, A., see Pineda-Trujillo, N., 87
Rush, A.M., Rowan, M.J., Anwyl, R., Application of *N*-methyl-D-aspartate induces long-term potentiation in the medial perforant path and long-term depression in the lateral perforant path of the rat dentate gyrus in vitro, 175
Ruusuvirta, T., see Astikainen, P., 222

Sakai, K., Li, Y., Shirakawa, T., Kitagawa, Y., Hirose, G., Induction of major histocompatibility complex class I molecules on human neuroblastoma line cells by a flavoid antioxidant, 127
Sánchez-Sellero, I., see Soto-Otero, R., 187
Seiwa, C., see Nakahara, J., 163
Shin, C.-M., see Park, K.H., 29
Shinkai, T., see Hori, H., 75
Shirakawa, T., see Sakai, K., 127
Sivonen, P., see Alku, P., 25
Soh, H., Jung, W., Uhm, D.-Y., Chung, S., Modulation of large conductance calcium-activated potassium channels from rat hippocampal neurons by glutathione, 115
Sörös, P., Knecht, S., Bantel, C., Imai, T., Wüsten, R., Pantev, C., Lütkenhöner, B., Bürkle, H., Henningsen, H., Functional reorganization of the human primary somatosensory cortex after acute pain demonstrated by magnetoencephalography, 195
Soto-Otero, R., Méndez-Álvarez, E., Sánchez-Sellero, I., Cruz-Landeira, A., López-Rivadulla Lamas, M., Reduction of rat brain levels of the endogenous dopaminergic proneurotoxins 1,2,3,4-tetrahydroisoquinoline and 1,2,3,4-tetrahydro-β-carboline by cigarette smoke, 187
Spielman, L., see Ho, L., 191
Suno, M., see Aoyama, K., 78
Syvänen, A.-C., see Lee, M.S., 131

Tan-Takeuchi, K., see Nakahara, J., 163
Tarkka, I.M., Cerebral sources of electrical potentials related to human vocalization and mouth movement, 203
Tian, S., see Wang, H., 155
Tiitinen, H., see Alku, P., 25
Tolu, E., see Podda, M.V., 91
Toro, M., see Pineda-Trujillo, N., 87
Toscano, C.D., see Nihei, M.K., 212

Uhm, D.-Y., see Soh, H., 115

Ulmanen, I., see Lee, M.S., 131
Uom, E.S., Min, B.I., Kim, J.H., Cho, Y.W., Analgesic effect of the acupuncture using the method of quick insertion and withdrawal of the needle in rats, 21
Uribe, C., see Pineda-Trujillo, N., 87

VanderHorst, V.G.J.M., Meijer, E., Holstege, G., Estrogen receptor-α immunoreactivity in parasympathetic preganglionic neurons innervating the bladder in the adult ovariectomized cat, 147
Vecchiato, E., see Crespi, F., 171

Wang, H., Wang, Y., Kong, J., Cui, L., Tian, S., Enhancement of conflict processing activity in human brain under task relevant condition, 155
Wang, Y., see Chen, Z.-W., 199
Wang, Y., see Wang, H., 155
Wehr, T.A., see Fagioli, I., 83
Weiss, T., see Opsommer, E., 41
Wessendorf, M.W., Dooyema, J., Coexistence of kappa- and delta-opioid receptors in rat spinal cord axons, 151
Winstein, C.J., see Boyd, L.A., 65
Wu, G., see Akins, P.R., 95
Wüsten, R., see Sörös, P., 195

Xiao, P., see Rao, Y., 183
Xu, S.-T., see Rao, Y., 183

Yagi, T., see Nakahara, J., 163
Yamaguchi, S., see Aoyama, K., 78
Yamashita, K., see Aoyama, K., 78
Yang, K., see Chen, Z.-W., 199
Yemul, S., see Ho, L., 191
Yenari, M.A., Giffard, R.G., Ischemic vulnerability of primary murine microglial cultures, 5
Yoo, J., see Park, C., 49
Yorukoglu, K., see Genc, S., 139

Zeman, M., see Herichová, I., 123
Zheng, M.-H., see Chen, H.-S., 57